

This weekly release report extract provides a list of weekly releases to Boeing BAC5 process specifications and BSS support specifications. Direct Boeing suppliers and partners can access a copy of the revised specifications directly through the Boeing Partners Network (BPN). Indirect Boeing suppliers (sub-tiers) can request a copy of the revised specification through their direct customer, in accordance to their contractual agreement.

[Home](#) | [Advanced Search](#)

## PSDS Search Results


Your Search query ((collectionCode <MATCHES> BPS) AND (historical <MATCHES> N) AND (releaseDate >= 24-AUG-2012) AND (releaseDate <= 30-AUG-2012)) matched 27 of 113302 documents in PSDS

## Internal Search Results

All

|                          |  | Number  | Rev | Title   | Release Date |
|--------------------------|--|---|-----|---|--------------|
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">AS4130SUP</a>                       | C   | ELBOW, 45 DEGREE, BULKHEAD, REDUCED BODY, FLARELESS   | 24-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">AS4132SUP</a>                       | C   | ELBOW, 90 DEGREE, BULKHEAD, REDUCED BODY, FLARELESS   | 24-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">6-33</a><br>Departure to BAC5317-6  |     | MANUFACTURE OF PERFORATED CARBON FIBER REINFORCED PARTS, 350 F (177 C) CURE                     | 30-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">6-163</a><br>Departure to BAC5749 |     | ALKALINE CLEANING   | 24-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB10AU</a>                      | AJ  | BEARING, BALL, AIRFRAME, SINGLE ROW, PRECISION GRADE, EXTRA LIGHT DUTY, TORQUE TUBE             | 29-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB10FU</a>                      | Y   | BEARING, BALL, SINGLE ROW, PRECISION GRADE, TORQUE TUBE, NON-SELF-ALIGNING, CORROSION RESISTANT | 24-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB20UY</a>                      | A   | BRACKET, RTL, Z PROFILE, TYPE 1 AND TYPE 2 90 DEG.  | 29-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB28AP</a>                      | T   | BUSHING, FLANGED, UNDERSIZE BORE, NOMINAL AND OVERSIZE OD (FOR CLAMPED INSTALLATION)            | 29-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB30LE</a>                      | BB  | BOLT, 12 POINT HEAD, 200 KSI MIN TENSILE, A286 CRES (NOMINAL AND OVERSIZE)                      | 29-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACB30ZF</a>                      | M   | BOLT, 12 POINT HEAD, PD SHANK, NICKEL ALLOY 718   | 30-AUG-2012  |
| <input type="checkbox"/> | <input type="button" value="BSS FULL"/> <input type="button" value="BSS BRIEF"/> |  <a href="#">BACC63EK</a>                      | ORG | CONNECTOR, ELECTRICAL, PLUG, STAINLESS STEEL, MIL-DTL-38999 SERIES III TYPE, ENHANCED VIBRATION | 30-AUG-2012  |
|                          |  | <a href="#">BACC64BW</a>  | ORG | CONNECTOR, COAXIAL  | 24-AUG-2012  |

Weekly Release Report Listing for Accountability Pages Page 1 of 4

|                          |          |           |   |  |  |   |             |
|--------------------------|----------|-----------|---|--|--|---|-------------|
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |     |  | PLUG, STRAIGHT, TYPE TNC, NONKEYED, SELF-LOCKING |   |             |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BACC66H</a>                                | AU   | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, SIZE 2                                  | 24-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BACL10AJ</a>                               | H  | LATCH, FLUSH TYPE, HEAVY DUTY   | 24-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BDS-509</a>                                | D  | SPECIAL HANDLING MARKINGS   | 29-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BMS14-13</a>                               | ORG  | SOLUBLE TOOLING MATERIAL  | 29-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BMS14-13</a><br>QPL to BMS14-13 Rev<br>ORG | ORG  |   | 29-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BMS8-338</a>                               | E  | MOLDABLE PLASTIC SHIM   | 28-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">BMS8-338</a><br>QPL to BMS8-338 Rev<br>E   | ORG  |   | 28-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">6-1</a><br>Departure to BSS7611            |  | INSTALLATION OF PERMASWAGE FITTINGS, EMPLOYEE CERTIFICAT<br>ION FOR               | 29-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |    | <a href="#">6-5</a><br>Departure to BSS7653            |  | ASSEMBLY OF ELECTRICAL TERMINATIONS, EMPLOYEE CERTIFICAT<br>ION FOR               | 30-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">6-1</a><br>Departure to BSS7691            |  | INSTALLATION OF AXIALLY SWAGED HYDRAULIC FITTINGS, EMPLOYEE CERTIFICAT<br>ION FOR | 28-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">D33142-0</a>                               | DC   | BOEING OPTICAL TOOLS CATALOG  | 24-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">D37522-5</a>                               | M  | PREPARATION FOR SHIPMENT  | 29-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">WS20120817</a>                             | NEW  | WEEKLY RELEASE REPORT   | 27-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">XBAC5069-01</a>                            | ORG  | FORMING OF TITANIUM HONEYCOMB PANELS  | 24-AUG-2012 |
| <input type="checkbox"/> | BSS FULL | BSS BRIEF |  | <a href="#">XBAC5070-01</a>                            | ORG  | VACUUM FURNACE BRAZING OF TITANIUM  | 28-AUG-2012 |

 All 



19-OCT-2012

# BOEING PRODUCT STANDARDS

WS20120824

## 3 WEEKLY TERMINATION REPORT - DEPARTURES

### 3.1 Process Specification Departures

| Standard Number           | Dpt. No. | Termination Date | Reason              |
|---------------------------|----------|------------------|---------------------|
| <a href="#">BAC5317-6</a> | 6-27     | 30-AUG-2012      | Superseded by 6-33  |
| <a href="#">BAC5749</a>   | 6-160    | 24-AUG-2012      | Superseded by 6-163 |

### 3.2 Product Definition Departures

| Standard Number | Dpt. No. | Termination Date | Reason         |
|-----------------|----------|------------------|----------------|
|                 |          |                  | None this week |

### 3.3 Support Standard Departures

| Standard Number         | Dpt. No. | Termination Date | Reason            |
|-------------------------|----------|------------------|-------------------|
| <a href="#">BSS7653</a> | 6-4      | 30-AUG-2012      | Superseded by 6-5 |

## WEEKLY RELEASE REPORT

# BOEING PRODUCT STANDARDS

WS20120824

## 4 WEEKLY TERMINATION REPORT - STANDARDS

### 4.1 Material Standards

| Standard Number | Revision | Termination Date | Reason |
|-----------------|----------|------------------|--------|
|                 |          | None this week   |        |

## WEEKLY RELEASE REPORT